# DASIS' A BUILT-IN SERIES

# **CREATE A 5-STAR MEAL WITHOUT LEAVING HOME.**

## OASIS" / BUILT-IN SERIES

napoleongrills.com



-

0.00

0.000000

## **TABLE OF CONTENTS:**

Prestige PRO <sup>®</sup> BIPRO825RBI	4
Prestige PRO <sup>-</sup> BIPRO665RB	5
Prestige PRO <sup>®</sup> BIPRO500RB	6
Prestige BIP500RB	7
LEX BILEX730RBI / BILEX605RBI	8
LEX BILEX485	9
Oasis <sup>®</sup> Modular Islands	10 -11
Oasis <sup>®</sup> & Built In Components	12 -13
Grilling Accessories	14 -17
Cooking Methods	15
Charcoal on a Gas Grill	18
Infrared Cooking	19
Built-in Heads	20
Installation	21   22
Specifications	23



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 40 years and counting. YOUR INDOOR KITCHEN WILL WONDER WHERE YOU'VE BEEN. DON'T WORRY, WE WON'T TELL.



YOU VIEW PERFECT GRILL MARKS AS A BADGE OF HONOR. YOU THINK CUTTING INTO A STEAK TO CHECK DONENESS IS SACRILEGE. YOU KNOW WHEN AND WHY TO USE RUB VS. MARINADE VS. SAUCE.

That's why you are ready for a Napoleon grill. Napoleon takes the art of grilling to a higher level. Every feature, every material is engineered to give ultimate performance - so you can create unforgettable meals and memorable moments. And just like you, we're not some rookie behind the grill. Napoleon is a family-owned company with over 20 passionate years of grill-making experience. Every great meal starts with the best ingredients. Start yours with the best grill out there: Napoleon.

# **PRESTIGE PRO<sup>™</sup> BUILT-INS**

**BIPR0825RBI** and **BIPR0665RB** with rear infrared burner, infrared **SIZZLE ZONE**<sup>-</sup> bottom burners and smoker tray options



Drop-in Side Burner N370-0504

Flat Stainless Steel Triple Drawer Kit N370-0360

Flat Stainless Steel Door




 Twin head cooking system with two dedicated infrared SIZZLE ZONE<sup>-</sup> bottom burners and a stainless steel tube warming burner in between (BIPR0825RBI)

- Deluxe high top, space saving LIFT EASE<sup>®</sup> roll top lids
- Commercial quality rotisserie kit and 4 forks using the rear infrared burner
- Integrated wood chip smoker tray with a gas tube burner beneath
- Engaging NIGHT LIGHT control knobs with SafetyGlow feature and interior lights for late night entertaining
- Stainless steel cooking system with JETFIRE<sup>®</sup> ignition
- Available as a natural gas or propane unit

## PATENT PENDING SAFETYGLOW CONTROL KNOBS

Blue NIGHT LIGHT in off position and Red SafetyGlow when a burner is in use. Entertain with peace of mind knowing that you will never accidentally leave the gas on.



**CONFIGURATION POSSIBILITIES.** 

see pages 10 - 12 to get inventive.

PRESTIGE PRO<sup>®</sup> 825

BIPR0825RBI with rear infared burner, INFARED BOTTOM BURNERS and INTEGRATED SMOKER TRAY.

106,000 BTU's 9 burners Cooking Area: 1245 in<sup>2</sup> (8140 cm<sup>2</sup>) Cart model available





Integrated Wood Chip Smoker Tray

Infrared SIZZLE ZONE





Rear Infrared Rotisserie Burner

Dual-Level Stainless **Steel** Sear Plates





NIGHT LIGHT Control Knobs with SafetyGlow







9.5 mm Stainless Steel Iconic WAVE Cooking Grids



Proudly Made in Canada

PRESTIGE PRO<sup>®</sup>665

BIPR0665RB with rear INFRARED BURNER

and INTEGRATED SMOKER TRAY

86,000 BTU's 7 burners Cooking Area: 1000 in<sup>2</sup> (6510 cm<sup>2</sup>) Cart model available



Doors and drawers are optional. Island not included.



Rear Infrared Rotisserie Burner



7.5mm Stainless Steel Iconic WAVE Cooking Grids



Dual-Level, **Stainless Steel** Sear Plates



NIGHT LIGHT Backlit Control Knobs with Safety Glow





BIPR0500RB with REAR INFRARED BURNER

66,000 BTU's 5 burners Cooking Area: 760 in<sup>2</sup> (4880 cm<sup>2</sup>)



Doors and drawers are optional. Island not included.



👫 Proudly Made in Canada

Drop-in Side Burner N370-0504

Flush Mount Stainless Steel Double Door N370-0503-1



- Deluxe high top, space saving LIFT EASE roll top lid with polished chrome trim accents and handle
- Commercial quality rotisserie kit with counter balance and 4 forks for delicious restaurant style cooking using the rear infrared burner
- Engaging NIGHT LIGHT backlit control knobs for late night entertaining
- Stainless steel cooking system with JETFIRE Ignition
- Available as a natural gas or propane unit

#### HEAVY DUTY STAINLESS STEEL COOKING SYSTEM

The even, consistent heat from high and hot to low and slow. **Iconic WAVE**<sup>-</sup> cooking grids for those distinctive Napoleon sear lines, self cleaning sear plates for reduced flare-ups and durable burners for controlled, even heat.



- Heavy duty rotisserie kit with counter balance and 2 forks for delicious restaurant style cooking using the rear infrared burner
- Stainless steel cooking system with JETFIRE Ignition
- Available as a natural gas or propane unit

## PRESTIGE<sup>®</sup> 500

#### BIP500RB with REAR INFRARED BURNER

66,000 BTU's

5 burners Cooking Area: 760 in<sup>2</sup> (4880 cm<sup>2</sup>)

Flush Mount

Stainless Steel Double Door N370-0503-1



Rotisserie Burner

7.5mm Stainless Steel Iconic WAVE Cooking Grids



Dual-Level, **Stainless Steel** Sear Plates



**JETFIRE**<sup>-</sup> Ignition



ACCU-PROBE™ Temperature Guage

### **DUAL-LEVEL STAINLESS STEEL SEAR PLATES**

Proudly Made in Canada

Dual-Level, individual stainless steel sear plates allow consistent, even heat and continuous grease run off. (Standard on BIPRO825RBI, BIPRO665RB, BIPRO500RB & BIP500RB)

Doors and drawers are optional. Island not included.

# **LEX SERIES**

**BILEX730RBI, BILEX605RBI,** and **BILEX485** with rear infrared burner and infrared **SIZZLE ZONE**<sup>-</sup> bottom burner options



Doors and drawers are optional. Island not included.

- Stainless steel Iconic WAVE<sup>®</sup> cooking grids
- Double walled stainless steel lid
- Infrared bottom and rear burners
- Engaging i-GLOW<sup>-</sup> backlit control knobs for late night entertaining
- JETFIRE ignition
- ACCU-PROBE Temperature Gauge
- Available as a natural gas or propane unit

# **LEX730**

**BILEX73ORBI** with **REAR BURNER** and **INFRARED SIZZLE ZONE**<sup>-</sup> bottom burner.

95,500 BTU's 6 burners Cooking Area:1025 in<sup>2</sup> (6530 cm<sup>2</sup>) Cart Model Available

Flat Stainless Steel Door Kit (x2) N370-0361-1

Flat Stainless Steel Triple Drawer Kit N370-0360





# **LEX605**

**BILEX605** with **REAR BURNER** and **INFRARED SIZZLE ZONE**<sup>®</sup> bottom burner.

79,500 BTU's 5 burners Cooking Area: 850 in<sup>2</sup> (5440 cm<sup>2</sup>) Cart Models Available





(LEX605 & LEX730)

Infrared **SIZZLE ZONE** Bottom Burner





i-GLOW Backlit Control Knobs



JETFIRE<sup>®</sup> Ignition



ACCU-PROBE<sup>-</sup> Temperature Gauge

# **LEX485**

BILEX485 with 4 burners.

48,000 BTU's 4 burners Cooking Area: 675 in<sup>2</sup> (4350 cm<sup>2</sup>) Cart Models Available

ADVANCED FOUR BURNER MODEL Improved even heating with 4 burners & sear plates





Doors and drawers are optional. Island not included.


Drop-in Side Burner N370-0504

Flat Stainless Steel Triple Drawer Kit N370-0360

Flat Stainless Steel Door N370-0361-1


# OASIS<sup>™</sup> MODULAR ISLANDS

Endless configuration possibilities



#### LATE NIGHT ENTERTAINING

Being the biggest fans of BBQ, Napoleon feels you should always be able to enjoy your favorite grilled meal and we have developed technology that makes every meal better and more easily prepared. You can entertain into the late hours with features such as interior lights and **i-GLOW**<sup>-</sup> and **NIGHT LIGHT**<sup>-</sup> control knobs that illuminate for easy grilling and food preparation. Wishing you many unforgettable meals – grilled to perfection.



#### PERSONALIZE YOUR OUTDOOR LIVING SPACE WITH THE LUXURIOUS OASIS" MODULAR ISLANDS

Choose the modules that fit your lifestyle and your budget. The cabinets can be assembled in virtually any combination to suit your individual needs. All cabinets are 35 ½" tall and 24" deep with 4 leveling feet for easy adjustment on any surface. The **Oasis** Outdoor Modular island series can be assembled against any non-combustible wall of your home or as a standalone island.

# OASIS" MODULAR ISLAND COMPONENTS

**UNDER GRILL CABINETS** 

IM-UGC730-CN



UNDER GRILL CABINET IM-UGC825-CN



TWO DRAWER CABINET IM-2DC-CN



IM-UGC485-CN. IM-UGC500-CN.

IM-UGC605-CN IM-UGC665-CN,

WASTE DRAWER WITH PAPER TOWEL HOLDER IM-WDC-CN



UNDER GRILL CABINET IM-UGC300-CN Fits side burners BISZ300, BISZ300FT, BISB245



PROPANE TANK OR UNIVERSAL CABINETS IM-UTC-CN (Shown), IM-UDC-CN Left or right opening



THREE DRAWER CABINET IM-3DC-CN



OUTDOOR RATED STRAINLESS STEEL FRIDGE NFR0550USS



WALL SPACER



**CABINET TRANSITIONS** IM-45T-CN = 45° *BIPRO665 and BIPRO825 cannot be installed on a 45° transition* 



CABINET END PANEL IM-CEP-CN



ICE BUCKET HOLDER IM-IBA-CN



### INSTANT JETFIRE<sup>®</sup> IGNITION

Napoleon's JETFIRE ignition starts each burner individually for reliable start ups - EVERY time.

# **BUILT-IN ISLAND DOORS & DRAWERS**





DELUXE FLAT STAINLESS STEEL DOOR KIT WITH CURVED STAINLESS STEEL HANDLE N370-0361-1 FLUSH MOUNT STAINLESS STEEL DOUBLE DOORS N370-0502, N370-0503-1




DELUXE STAINLESS STEEL TRIPLE DRAWERS WITH CURVED STAINLESS STEEL HANDLES N370-0360



DELUXE STAINLESS STEEL SINGLE DRAWER WITH CURVED STAINLESS STEEL HANDLE N370-0359

## **BUILT-IN ISLAND BURNERS**



DROP-IN SIDE BURNER N370-0504 (LP), N370-0505 (NG)



INFRARED SIZZLE ZONE<sup>™</sup> SIDE BURNER BISZ300 with LIFT EASE<sup>™</sup> Roll Top Lid



**DOUBLE SIDE BURNER** BISB245FT



**INFRARED SIZZLE ZONE**<sup>®</sup> **SIDE BURNER** BISZ300FT with Stainless Steel Flat Cover

#### **FINDING THE PERFECT STEAK**

When buying a large steak, choose one that has a uniform thickness of about 1½". Buy a top quality cut that is well marbled to ensure tenderness. The better the quality of beef, the tastier your steak will be. For a quick sauce, jazz up store-bought BBQ sauce by adding chopped chilies, a little Worcestershire sauce, a splash of vinegar, some chopped fresh onions or garlic, or get creative.



## THE MOST VERSATILE **COOKING STYLES AVAILABLE**





Meat Lovers Starter Kit 90001



**Pizza Lovers Starter Kit** 90002

**Direct Cooking** This method of cooking utilizes all burners, cooking the food directly above the flame "GRILLING" style, for searing steaks, other meats or vegetables. Keeping the lid down reduces the cooking time and cooks through to the center faster than with the lid up. Anything that is less than two inches in thickness should be cooked by direct grilling. These are things that generally cook quickly and benefit from the fast cooking of a hot grill. Front to back burners were designed for precise heat control, allowing for independent use of each cooking zone.

Indirect Cooking Indirect grilling is similar to baking. The food is placed above the unlit burner instead of directly over the flame. This can be achieved by only igniting some of the burners light one side on high and cook the food on the other. The food will cook more evenly as it is not exposed to direct heat from the burners. This is an excellent way to cook tough cuts of meat, like brisket and ribs, that require long, slow cooking at a low or moderate heat. Indirect grilling allows you to work over a more moderate temperature (275° to 350°) and makes it easy to introduce a smoker pipe for extra flavor. For chicken, game, turkey, roasts, ham, vegetables, bread or combinations, the indirect cooking method gives great results every time. There is little need to turn the food. You can place the food directly on the grids or in a cooking pan.

Charcoal Cooking Unique to Napoleon! Optional charcoal trays give you the freedom to switch from gas to charcoal with relative ease. With charcoal you can utilize indirect cooking as well as direct cooking.

Rotisserie Cooking Rotisserie cooking allows the food to self-baste, sealing in the juices while browning the outside surface. Use the rotisserie method of cooking for large cuts of meat like roasts, poultry or legs of lamb. There are so many advantages to rotisserie cooking. Meats are generally juicier, self-basted and slow roasted. You can use the rotisserie method if your grill comes with a rear rotisserie burner, which requires much less attention than any other cooking method. The rotisserie burner is a nice feature because it automatically sets you up for direct, even heating.

Infrared Bottom Burner Cooking Do you want to make the perfect steak? The intense 1800° heat instantly sears the meat, locking in the juices. Larger cuts of meat may be moved to the side of the grill to continue cooking.

Smoking Place wet wood chips into the smoker tube and place over the left burner, then turn the burner on. Place your meat over the right burner, but do not turn on that burner. You are using the indirect cooking method. Smoke the meat for several hours under a closed lid. To achieve maximum flavor, fresh wood chips may be added several times during the cooking process.



Stainless Steel 3 Piece Toolset 70034



**Executive 4 Piece Toolset** 70037



**Stainless Steel Grilling Wok** 56026



**Flexible Spatula** 70040

Visit napoleongrills.com to see Napoleon's complete line of grilling accessories.

# UPGRADE YOUR GRILLING ACCESSORIES NAPOLEON





**Healthy Choice Starter Kit** 90003



Meat Tenderizer 55204



Premium Cutting Board and Knife Set 70039



**Rectangular Baking Stone** 70008



8 Stainless Steel Skewers 70015



**Rotisserie Kits** 



**Rotisserie Grill Basket** 64000



Wood Chip Starter Kit 67020



**Flexible Grill Basket** 57012



Cast Iron Charcoal / Smoker Tray 67732



PRO Stainless Steel Rotating Skewer Rack 70014



2 Piece Toolset 70032

## **UPGRADE YOUR GRILLING ACCESSORIES**




Stainless Steel Precision Tongs 55024



Wine Soaked Cedar Grilling Plank



Grill Mat 68001



**Coconut Charcoal** 67201



**Three-Piece Toolset** 70024



**PRO Professional Knife / Carving Set** 55206



Executive Chef Knife



PRO Steak Knife



**PRO Stainless Steel Easy Locking Tongs** 55011



Stainless Steel Spatutong 55019



**PRO Stainless Steel Spatula** 70010



**PRO Stainless Steel Wide Spatula** 





**PRO Silicone Basting Brush** 55005



PRO Silicone Basting Mop



**PRO Poultry Shears** 55077



**PRO Cutting Board and Bowl Set** 70012



ACCU-PROBE<sup>®</sup> Bluetooth<sup>®</sup> Thermometer



**Digital Thermometer** 61010



Stainless Steel Multifunctional Topper 70026



**PRO Stainless Steel Topper** 70023



Stainless Steel Wok



**PRO Heat Resistant Grill Glove** 62145



**Gourmet Burger Press Kit** 70060



**PRO Salt and Pepper Grinders** 70004 / 70005

# COOKING WITH CHARCOAL ON YOUR GAS GRILL

A Napoleon Exclusive! Still want the convenience of gas, but long for that charcoal flavor? No problem! Napoleon's charcoal tray lights easily with your gas burner. No need for lighter fluid!

The optional charcoal tray gives you the freedom to switch from gas to charcoal with relative ease. Simply replace your sear plates with the charcoal tray, fill with charcoal and light using your gas burners. Replace your cooking grids and now you're charcoal grilling!

Before you begin to use your charcoal tray, you will need to determine how much charcoal you are going to need. Approximately one layer for burgers or steaks and two layers for roasts or chicken. Pour enough charcoal into the tray to make the layers needed. Light the gas burner(s) directly under the charcoal tray and burn on high until the charcoal is glowing red and then turn off the gas burner(s). Let coals burn until all coals are white on the surface. With a long handle instrument, spread the coals evenly across the tray.

## WANT THAT SMOKED GOODNESS?

Enjoy that delicious smoked meat flavor at home with your own grill and a few pointers from Napoleon. When using gas grills, it's best to put presoaked wood chips in our smoker tube, available at Napoleon grill retailers. This keeps your grill from filling up with ashes and clogging the jets. If you are using a charcoal tray, then you can either put the wood directly on the preheated coals or place them in the wood chip chamber in the tray.

Fill the stainless steel smoker tube with wood chips. Submerge in water for at least half an hour. Place the smoker tube over the left burner and turn it on. Place your meat over the right burner, but do not turn on the burner. You are using the indirect smoking cooking method.

Smoke the meat for several hours under a closed lid. To achieve maximum flavor, add fresh, pre-soaked wood chips several times during the cooking process or use two tubes.

## HOW DOES INFRARED COOKING WORK?

Since the discovery of fire, man-kind has been striving to improve taste and perfect the grilling experience. Infrared grilling is simply the relationship between the type of food, heat, and time. Infrared cooking uses high-efficiency radiant energy, much like the sun. High-frequency electromagnetic waves from the invisible end of the light spectrum travel from the infrared source to the food. Napoleon infrared grills use ceramic burners with thousands of evenly spaced flame ports to generate infrared radiant energy. The flame energy is absorbed by the ceramic, which then glows and heats up to an incredible 1800°F. This remarkable **SIZZLE ZONE**<sup>T</sup> heat intensity guickly sears your food to lock in moisture and flavor. The results are unmistakable - succulent, flavorful food in a much-reduced grilling time! Napoleon's infrared grilling technology makes serving the perfect meal quick and easy each and every time.

#### Versatile

Grill anything like a professional, from steaks to seafood, fish to vegetables.

#### **Great Retention of Flavor and Moisture**

Infrared provides the heat necessary to lock in the juices with little or no preheating time. Radiant energy is delivered more directly to the food, and warms less air. Therefore, the food cooks very quickly, resulting in a greater retention of food weight. Food cooked in its own juices is more succulent, tender and tasty.

## EXPERTS IN GAS & INFRARED GRILLING

#### **More Efficient**

Infrared heats the object not the air so it cooks twice as fast as traditional burners while using less fuel. Because infrared heats food directly, not the air around it, grilling year round is much easier.

#### **BTU Consumption**

Napoleon Infrared Grilling

Traditional Grilling

#### **The Environmental Choice!**

Because the infrared burners are ready to grill in under a minute and grilling time is drastically decreased, cooking your food with Napoleon's advanced infrared technology can reduce your gas consumption by up to 50%.

# **0-1800°** READY-TO-GRILL IN **30 SECONDS**

## HOW TO COOK THE PERFECT INFRARED STEAK

- 1. Lift lid of grill or side burner.
- 2. Ignite infrared burner.
- 3. Warm up for one minute.
- 4. Place thick, juicy steak on grids.
- Wait two three minutes, flip steak with tongs. (You do not want to use a fork and pierce the steak as this will let out the juices the infrared has locked in).
- 6. Wait another two three minutes, turn off the knob.
- 7. You now have a medium rare steak.
- 8. Bon Appetite.

#### TIP:

Pick a steak that is well marbled, the more marble there is inside, the more flavorful and tender your steak will be. A perfect steak size is about 1 ½ to 2 inches thick and about 12 to 16 ounces each, depending on the cut.

# BUILT-IN GRILL HEADS AVAILABLE FOR YOUR CUSTOM OASIS<sup>™</sup> ISLAND / BUILT-IN ISLAND

Remember to always refer to the owner's manual for complete and accurate installation instructions.



#### **BIPR0500RB**

Opening dimensions: 30 <sup>3</sup>/<sub>4</sub>" w x 20 <sup>5</sup>/<sub>8</sub>" d x 8 <sup>7</sup>/<sub>8</sub>" h (78 cm w x 52 cm d x 23 cm h)



#### BIPR0665RB

Opening dimensions: 38" w x 20 5%" d x 8 %" h (97 cm w x 52 cm d x 23 cm h)



#### BIPR0825RBI

Opening dimensions: 52 %" w x 20 %" d x 8 %" h (133 cm w x 52 cm d x 23 cm h)



#### **BIP500RB**

Opening dimensions: 30 <sup>3</sup>/<sub>4</sub>" w x 20 <sup>5</sup>/<sub>8</sub>" d x 8 <sup>7</sup>/<sub>8</sub>" h (78 cm w x 52 cm d x 23 cm h)



#### BILEX485

Opening dimensions: 29 ¾" w x 21 ¾" d x 7 ½" h (76 cm w x 54 cm d x 19 cm h)



## **BILEX605RBI**

Opening dimensions: 36 ½" w x 21 ¾" d x 7 ½" h (93 cm w x 54 cm d x 19 cm h)




## **BILEX730RBI**

Opening dimensions: 43 ¼" w x 21 ¾" d x 7 ½" h (110 cm w x 54 cm d x 19 cm h)

#### ALL SEASON GRILLING

The secret to grilling success in any season, is preparation. Always locate your grill away from the wind in a well-ventilated location to ensure consistent heat. Don't let the heat escape by constantly lifting the lid to check; instead use your thermometer. And, don't be afraid to use the warming rack to keep food warm or to finish cooking, if the rest of your food continues to cook on the main burners.

## **INSTALLATION SPECIFICATIONS**




Please use manual to properly assemble your built-in grill. Refer to the main manual for operating, cleaning, and maintenance instructions. This grill is designed for non-combustible enclosures only, and must be installed and serviced by a qualified installer to local codes. Drawings for reference only. Minimum 6" clearance required between grill and other appliance. Specifications subject to change without notice. \* Additional clearance may be required for openings. See owners manual

#### **BUILT-IN PROPANE GAS HOOK-UP**

The piping up to the gas grill is the responsibility of the installer and piping should be located as shown in the built-in instructions. The installation must comply with CAN B149.1 Natural Gas and Propane installation code in Canada, or to the National Fuel Gas code, ANSI Z223.1 in the United States. The tank can not be stored below the gas grill. Built-in units are supplied with a drip pan which holds only a minimal amount of grease. To prevent grease fires, the pan must be cleaned after each use.

## **INSTALLATION SPECIFICATIONS**



The countertop material must be non-combustible if a grill is to be installed into it. They can be ordered in advance by drawing out the floor plan of how the cabinets will be situated and adding up the width measurements, allowing 1-2" of countertop overhang. Most countertop manufacturers are willing to come and take measurements after assembly of the cabinets is complete to ensure a perfect fit. For best results the countertop thickness should be between 3/4" to 1 1/2" thick. The built-in grill head comes with stainless steel brackets and hardware that allow the unit to rest on the countertop above the corresponding island cabinet for that unit. Granite is an excellent choice of countertop materials. Decorative countertops made of ceramic tile set on top of cement tiling board can be selected to match your surrounding backyard furniture color.

\* Countertops must be ordered and supplied locally by the homeowner.

#### **BUILT-IN NATURAL GAS HOOK-UP**

The piping up to the gas grill is the responsibility of the installer and piping should be located as shown in the built-in instructions. Do not use hose to connect the unit. It must be connected with rigid pipe, copper tube or an approved flexible metal connector which complies with Z21.4 /CSA 6.10. The installation must comply with CAN B149.1 Natural Gas and Propane Installation Code in Canada, or to the National Fuel Gas Code, ANSI Z223.1 in the United States. The gas supply pipe must be sufficiently sized to supply the BTU/h specified on the rating plate, based on the length of the piping run. If installing a side burner, a separate line must be branched off to the side burner unit and enter the side burner opening at the specified location.

GRILL SPECIFICATIONS		В	IPR0825RBI	BIPR0665RB	BIPR0500RB	BIP500RB	BILEX730	RBI BI	ILEX605RBI	BILEX485
LIFT EASE" roll top stainless steel lid			S	S	S	S	-		-	-
Double walled stainless steel lid			S	S	S	S	S		S	S
ACCU-PROBE <sup>®</sup> temperature gauge			S	S	S	S	S		S	S
Total cooking surface (sq. in.)*			1245	1000	760	760	1025		850	675
Electronic ignition			S°	S°	S°	S°	-		-	-
JETFIRE <sup>®</sup> ignition			S	S	S	S	S		S	S
Infrared ceramic bottom burners			2	0	0	0	1		1	-
Stainless steel bottom burners			4	5	4	4	4		3	4
Infrared rear rotisserie burner			S	S	S	S	S		S	-
Integrated wood chip smoker tray			S	S	-	-	-		-	-
Stainless steel Iconic WAVE <sup>®</sup> cooking grids			-	-	-	S	S		S	S
Stainless steel 9.5 mm Iconic WAVE <sup>-</sup> cooking grids			S	S	S	-	-		-	-
i-GLOW <sup></sup> / NIGHT LIGHT <sup></sup> control knobs			S	S	S	-	S		S	S
SafetyGlow			S	S	-	-	-		-	-
Interior lights			S	S	-	-	-		-	-
EASY SET control knobs			S	S	S	S	S		S	S
Removable drip pan			S	S	S	S	S		S	S
Warming rack			S	S	S	S	S		S	S
President's Limited Lifetime Warranty			S	S	S	S	S		S	S
15 Year Limited Warranty			-	-	-	-	S		S	S
DIMENSIONS (opening size for installation)		В	IPR0825RBI	BIPR0665RB	BIPR0500RB	BIP500RB	BILEX730	RBI BI	ILEX605RBI	BILEX485
DIMENSIONS (opening size for installation) Total width in inches (cm)		В	52 ¾(133)	BIPR0665RB 38 (97)	BIPR0500RB 30 ¾ (78)	BIP500RB 30 ¾ (78)	BILEX730 43 ¼ (110		ILEX605RBI 36 ½ (93)	BILEX485 29 ¾ (76)
		В						))		
Total width in inches (cm)		В	52 ¾ (133)	38 (97)	30 ¾ (78)	30 ¾ (78)	43 ¼ (110	)) )	36 ½ (93)	29 ¾ (76)
Total width in inches (cm) Total depth in inches (cm)	Part Number	B Width in. (cm)	52 ¾ (133) 20 % (52)	38 (97) 20 5⁄8 (52)	30 ¾ (78) 20 ⅔ (52)	30 ¾ (78) 20 ½ (52)	43 ¼ (110 21 ¾ (54	)) )	36 ½ (93) 21 ¾ (54)	29 ¾ (76) 21 ¾ (54)
Total width in inches (cm) Total depth in inches (cm) Total height in inches (cm) DOORS & ACCESSORIES	<b>Part Number</b> N370-0361-1	Width in.	52 % (133) 20 % (52) 8 % (23) Depth in.	38 (97) 20 5⁄4 (52) 8 7⁄4 (23) Height in.	30 ¾ (78) 20 ½ (52) 8 ½ (23) OASIS <sup>-</sup> MODULAR	30 ¾ (78) 20 % (52) 8 ⅔ (23)	43 ¼ (11( 21 ¾ (54 7 ½ (19)	0) ) Width in.	36 ½ (93) 21 ¾ (54) 7 ½ (19) Depth in.	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in.
Total width in inches (cm) Total depth in inches (cm) Total height in inches (cm) DOORS & ACCESSORIES (opening size for installation)		Width in. (cm)	52 ⅔ (133) 20 ⅔ (52) 8 ⅔ (23) Depth in. (cm)	38 (97) 20 % (52) 8 % (23) Height in. (cm)	30 ¾ (78) 20 ½ (52) 8 ½ (23) OASIS <sup>-</sup> MODULAR COMPONENTS	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) 25 series	43 ¼ (11( 21 ½ (54 7 ½ (19) Part Number	)) ) Width in. (cm)	36 ½ (93) 21 ¾ (54) 7 ½ (19) Depth in. (cm)	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door	N370-0361-1	Width in. (cm) 17 (43)	52 ¾ (133) 20 ⅔ (52) 8 ⅔ (23) Depth in. (cm)	38 (97) 20 ½ (52) 8 ½ (23) Height in. (cm) 23 ¼ (59)	30 ¾ (78) 20 ½ (52) 8 ½ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82	30 ¾ (78) 20 % (52) 8 ¼ (23) 25 series 55 series	43 ¼ (110 21 ½ (54 7 ½ (19) Part Number IM-UGC825-CN	0) ) Width in. (cm) 55 (139)	36 ½ (93) 21 ¾ (54) 7 ½ (19) Depth in. (cm) 24 (61)	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door	N370-0361-1 N370-0502-1	Width in. (cm) 17 (43) 28 ¼ (72)	52 %(133) 20 % (52) 8 % (23) Depth in. (cm) -	38 (97) 20 ½ (52) 8 ½ (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 55 series 20 series	43 ¼ (110 21 ¼ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN	) ) Width in. (cm) 55 (139) 40 ½ (103)	36 ½ (93) 21 ½ (54) 7 ½ (19) <b>Depth in.</b> (cm) 24 (61) 24 (61)	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door	N370-0361-1 N370-0502-1 N370-0503-1	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)	52 ½(133) 20 ½ (52) 8 ½ (23) Depth in. (cm) - -	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>-</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 50	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 55 series 30 series 30 series	43 ¼ (110 21 ½ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC865-CN IM-UGC500-CN	) ) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88)	36 ½ (93) 21 ¾ (54) 7 ½ (19) 24 (61) 24 (61) 24 (61)	29 ¾ (76) 21 ½ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door   Stainless Steel Single Drawer	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)	52 ¾ (133) 20 ⅔ (52) 8 ⅓ (23) Depth in. (cm) - - 23 (58)	38 (97) 20 ½ (52) 8 ½ (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 66 Under Grill Cabinet - 50 Under Grill Cabinet - 73	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 55 series 20 series 30 series 25 series	43 ¼ (110 21 ½ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC500-CN IM-UGC730-CN	)) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ⅓ (120)	36 ½ (93) 21 ¾ (54) 7 ½ (19) <b>Depth in.</b> (cm) 24 (61) 24 (61) 24 (61)	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door   Stainless Steel Single Drawer   Stainless Steel Triple Drawer	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360	Width in.     (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     17 ¼ (44)	52 ¾ (133) 20 ⅔ (52) 8 ⅓ (23) Depth in. (cm) - - 23 (58) 23 (58)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 73 Under Grill Cabinet - 73	30 ¾ (78) 20 % (52) 8 ¼ (23) 25 series 55 series 30 series 30 series 35 series 35 series	43 ¼ (110 21 ½ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC500-CN IM-UGC730-CN IM-UGC605-CN	0) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103)	36 ½ (93) 21 ¾ (54) 7 ½ (19) <b>Depth in.</b> (cm) 24 (61) 24 (61) 24 (61) 24 (61)	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door   Stainless Steel Single Drawer   Stainless Steel Triple Drawer   Infrared SIZZLE ZONE" Burner with Roll Top	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360 BISZ300	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     17 ¼ (44)     20 ⅛ (51)	52 ¾ (133) 20 ⅔ (52) 8 ⅓ (23)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58) 9 % (23)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 73 Under Grill Cabinet - 60 Under Grill Cabinet - 60	30 ¾ (78) 20 % (52) 8 ¼ (23) 25 series 25 series 30 series 30 series 25 series 35 series 35 series 30 series	43 ¼ (11) 21 ¼ (54) 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC500-CN IM-UGC730-CN IM-UGC605-CN IM-UGC605-CN	0) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103) 34 ¾ (88)	$36 \frac{1}{2} (93)$ $21 \frac{1}{2} (54)$ $7 \frac{1}{2} (19)$ $24 (61)$ $24 (61)$ $24 (61)$ $24 (61)$ $24 (61)$ $24 (61)$ $24 (61)$	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door   Stainless Steel Single Drawer   Stainless Steel Triple Drawer   Infrared SIZZLE ZONE" with Flat Top	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360 BISZ300 BISZ300FT	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     17 ¼ (44)     20 ⅛ (51)     20 ⅛ (51)	52 %(133) 20 % (52) 8 % (23) <b>Depth in.</b> (cm) - - 2 - 23 (58) 23 (58) 20 % (52) 20 % (52)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58) 9 % (23) 9 % (23)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 73 Under Grill Cabinet - 73 Under Grill Cabinet - 48 Under Grill Cabinet - 48	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 25 series 30 series 30 series 30 series 35 series 35 series 35 series 30 series 30 series	43 ¼ (110 21 ½ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC500-CN IM-UGC730-CN IM-UGC605-CN IM-UGC485-CN IM-UGC485-CN	) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103) 34 ¾ (88) 24 (61)	36 ½ (93) 21 ¾ (54) 7 ½ (19) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61)	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)Total depth in inches (cm)Total height in inches (cm)DOORS & ACCESSORIES (opening size for installation)Flat Stainless Steel DoorFlushed Mount Stainless Steel Double DoorFlushed Mount Stainless Steel Double DoorStainless Steel Single DrawerStainless Steel Triple DrawerInfrared SIZZLE ZONE" with Flat TopDouble Side Burner	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360 BISZ300 BISZ300 BISZ300FT BISZ245	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     20 ¼ (51)     20 ¼ (51)     20 ½ (51)	52 %(133) 20 % (52) 8 % (23) <b>Depth in.</b> (cm) - - 23 (58) 23 (58) 20 % (52) 20 % (52)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58) 9 % (23) 8 % (23)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 73 Under Grill Cabinet - 73 Under Grill Cabinet - 48 Under Grill Cabinet - 48 Under Grill Cabinet - 300 Propane Tank Cabinet - 1	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 25 series 30 series 30 series 30 series 35 series 35 series 35 series 30 series 30 series	43 ¼ (110 21 ½ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC500-CN IM-UGC730-CN IM-UGC605-CN IM-UGC485-CN IM-UGC485-CN IM-UGC300-CN IM-UGC300-CN IM-UGC300-CN	) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103) 34 ¾ (88) 24 (61) 24 (61)	36 ½ (93) 21 ¾ (54) 7 ½ (19) <b>Depth in.</b> (Cm) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61)	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)Total depth in inches (cm)Total height in inches (cm)DOORS & ACCESSORIES (opening size for installation)Flat Stainless Steel DoorFlushed Mount Stainless Steel Double DoorFlushed Mount Stainless Steel Double DoorStainless Steel Single DrawerStainless Steel Triple DrawerInfrared SIZZLE ZONE" with Flat TopDouble Side Burner	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360 BISZ300 BISZ300 BISZ300FT BISZ245	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     20 ¼ (51)     20 ¼ (51)     20 ½ (51)	52 %(133) 20 % (52) 8 % (23) <b>Depth in.</b> (cm) - - 23 (58) 23 (58) 20 % (52) 20 % (52)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58) 9 % (23) 8 % (23)	30 ¾ (78) 20 ¾ (52) 8 ⅓ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 73 Under Grill Cabinet - 73 Under Grill Cabinet - 48 Under Grill Cabinet - 48 Under Grill Cabinet - 48 Under Grill Cabinet - 40 Propane Tank Cabinet - 4	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 25 series 30 series 30 series 30 series 35 series 35 series 35 series 30 series 30 series	43 ¼ (110 21 ¼ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC605-CN IM-UGC730-CN IM-UGC605-CN IM-UGC485-CN IM-UGC485-CN IM-UGC300-CN IM-UTC-CN IM-UTC-CN	0) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103) 34 ¾ (88) 24 (61) 24 (61) 24 (61)	$\begin{array}{c} 36 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	29 ¾ (76) 21 ¾ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90)
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door   Stainless Steel Single Drawer   Stainless Steel Triple Drawer   Infrared SIZZLE ZONE" Burner with Roll Top   Infrared SIZZLE ZONE" with Flat Top   Double Side Burner   Side Burner   Side Burner	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360 BISZ300 BISZ300 BISZ300FT BISB245 N370-0504/05	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     17 ¼ (44)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)	52 %(133) 20 % (52) 8 % (23) <b>Depth in.</b> (cm) - - 23 (58) 23 (58) 20 % (52) 20 % (52)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58) 9 % (23) 8 % (23)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 50 Under Grill Cabinet - 60 Under Grill C	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 25 series 30 series 30 series 30 series 35 series 35 series 35 series 30 series 30 series	43 ¼ (11) 21 ¼ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC500-CN IM-UGC730-CN IM-UGC730-CN IM-UGC485-CN IM-UGC485-CN IM-UGC300-CN IM-UTC-CN IM-UTC-CN IM-UTC-CN	0) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103) 34 ¾ (88) 24 (61) 24 (61) 24 (61)	36 ½ (93) 21 ¾ (54) 7 ½ (19) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61) 26 (66)	$\begin{array}{c} 29 \ \% \ (76) \\ 21 \ \% \ (54) \\ 7 \ \% \ (19) \\ \hline \\ \begin{array}{c} \text{Height in.} \\ (cm) \\ 35 \ \% \ (90) \\ 34 \ (86) \end{array}$
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door   Stainless Steel Single Drawer   Stainless Steel Triple Drawer   Infrared SIZZLE ZONE" Burner with Roll Top   Infrared SIZZLE ZONE" with Flat Top   Double Side Burner   Side Burner   Side Burner   Side Burner   Side Burner	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360 BISZ300 BISZ300 BISZ300FT BISB245 N370-0504/05	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     17 ¼ (44)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)	52 %(133) 20 % (52) 8 % (23) <b>Depth in.</b> (cm) - - 23 (58) 23 (58) 20 % (52) 20 % (52)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58) 9 % (23) 8 % (23)	30 ¾ (78) 20 ¾ (52) 8 ¼ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 50 Under Grill Cabinet - 48 Under Grill Cabinet - 48 Under Grill Cabinet - 40 Propane Tank Cabinet - 40 Propane Tank Cabinet - 40 Universal Door Cabinet Outdoor Rated Fridge Three Drawer Cabinet	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 35 series 30 series 30 series 35 series 35 series 35 series 30 series 20 series 20 series	43 ¼ (11) 21 ¼ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC500-CN IM-UGC730-CN IM-UGC730-CN IM-UGC485-CN IM-UGC485-CN IM-UGC300-CN IM-UC-CN IM-UDC-CN IM-UDC-CN IM-UDC-CN	) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103) 34 ¾ (88) 24 (61) 24 (61) 24 (61) 24 (61)	36 ½ (93) 21 ½ (54) 7 ½ (19) 24 (61) 24 (61) 26 (66)	$\begin{array}{c} 29 \ \% \ (76) \\ 21 \ \% \ (54) \\ 7 \ \% \ (19) \\ \hline \\ \begin{array}{c} \text{Height in.} \\ (cm) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 35 \ \% \ (90) \\ 34 \ (86) \\ 35 \ \% \ (90) \\ \end{array}$
Total width in inches (cm)   Total depth in inches (cm)   Total height in inches (cm)   DOORS & ACCESSORIES (opening size for installation)   Flat Stainless Steel Door   Flushed Mount Stainless Steel Double Door   Flushed Mount Stainless Steel Double Door   Stainless Steel Single Drawer   Stainless Steel Triple Drawer   Infrared SIZZLE ZONE" Burner with Roll Top   Infrared SIZZLE ZONE" with Flat Top   Double Side Burner   Side Burner   Side Burner	N370-0361-1 N370-0502-1 N370-0503-1 N370-0359 N370-0360 BISZ300 BISZ300 BISZ300FT BISB245 N370-0504/05	Width in. (cm)     17 (43)     28 ¼ (72)     37 ¾ (96)     17 ¼ (44)     17 ¼ (44)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)     20 ⅛ (51)	52 %(133) 20 % (52) 8 % (23) <b>Depth in.</b> (cm) - - 23 (58) 23 (58) 20 % (52) 20 % (52)	38 (97) 20 % (52) 8 % (23) Height in. (cm) 23 ¼ (59) 20 ¼ (51) 20 ¼ (51) 6 ¾ (17) 22 ¾ (58) 9 % (23) 8 % (23)	30 ¾ (78) 20 ¾ (52) 8 ⅓ (23) OASIS <sup>®</sup> MODULAR COMPONENTS Under Grill Cabinet - 82 Under Grill Cabinet - 66 Under Grill Cabinet - 73 Under Grill Cabinet - 73 Under Grill Cabinet - 60 Under Grill Cabinet - 48 Under Grill Cabinet - 48 Under Grill Cabinet - 40 Propane Tank Cabinet - 10 Universal Door Cabinet Outdoor Rated Fridge Three Drawer Cabinet	30 ¾ (78) 20 ⅔ (52) 8 ⅔ (23) 25 series 35 series 30 series 30 series 35 series 35 series 35 series 30 series 20 series 20 series	43 ¼ (11) 21 ½ (54 7 ½ (19) Part Number IM-UGC825-CN IM-UGC665-CN IM-UGC730-CN IM-UGC730-CN IM-UGC485-CN IM-UGC485-CN IM-UGC300-CN IM-UTC-CN IM-UTC-CN IM-UTC-CN IM-UTC-CN IM-UTC-CN IM-3DC-CN IM-2DC-CN	) Width in. (cm) 55 (139) 40 ½ (103) 34 ¾ (88) 47 ¼ (120) 40 ½ (103) 34 ¾ (88) 24 (61) 24 (61) 24 (61) 24 (61) 24 (61)	36 ½ (93) 21 ¾ (54) 7 ½ (19) 24 (61) 24 (61)	29 ¼ (76) 21 ¼ (54) 7 ½ (19) Height in. (cm) 35 ½ (90) 35 ½ (90)



## NAPOLEON - CELEBRATING OVER 40 YEARS OF HOME COMFORT PRODUCTS





24 Napoleon Rd., Barrie, Ontario, L4M 0G8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec H4T 1A3

PHONE: 866-820-8686 napoleongrills.com grills@napoleonproducts.com

Approved by Intertek Testing Services to standards in the USA and Canada: ANSI Z21.58 / CSA 1.6 - Outdoor Cooking Gas Appliances. All specifications and designs are subject to change without prior notice due to ongoing product improvements. Consult your owner's manual for complete installation and operating instructions and check all local and national Building Codes and Regulations. Not all features available on all models. Napoleon is a registered trademark of Wolf Steel Group Inc. Images and colors may not be exactly as shown.

Authorized Dealer



