# 2" INGROUND - SUBMERSIBLE ROUND



2031

## LANDSCAPE LIGHTING





Fixture Type:	
Catala - Novah	
Catalog Numbe	r:
Project:	
Location:	

### PRODUCT DESCRIPTION

Landscape 2" submersible recessed inground luminaire for up, down, side light applications. Comes with 30' long lead wire.

### **FEATURES**

- IP68 rated, Suitable for continuous immersion under water
- Factory sealed water tight fixtures
- Solid stainless steel construction
- 30' long lead wire and direct burial gel filled wire nuts included
- Includes a detachable stainless steel mounting bracket for use in or out of water
- Maintains constant lumen output against voltage drop
- UL 1838 Listed

### **SPECIFICATIONS**

**Input:** 9 - 15VAC (Transformer is required)

Power: 4.1W / 6.6VA
Brightness: 170 lm
Beam Angle: 25°
CRI: 85

Rated Life: 70,000 hours

#### **ORDERING NUMBER**

	Col	Color Temp		
2031 Subme	30	3000K	SS	Stainless Steel

2031-30SS

waclighting.com Phone (800) 526.2588 Fax (800) 526.2585 Headquarters/Eastern Distribution Center 44 Harbor Park Drive Port Washington, NY 11050 Central Distribution Center 1600 Distribution Ct Lithia Springs, GA 30122 Western Distribution Center 1750 Archibald Avenue Ontario, CA 91760

# 2" INGROUND - SUBMERSIBLE ROUND



2031

## LANDSCAPE LIGHTING

### Magnetic Transformers

Stainless Steel, 12-15V output, IP65 rated, UL 1838 listed See transformer spec sheet for details and its accessories

**9075-TRN-SS** *75W Max* 

**9150-TRN-SS** *150W Max* 

**9300-TRN-SS** 300W Max

**9600-TRN-SS** 600W Max



#### **TESTED MAGNETIC LOW VOLTAGE(MLV) DIMMERS**

Luminaire	Dimmer							
	Manufacturer	Family	Model	Power Rating	Range*	Note		
		Diva	DVLV-600	600W	20% - 100%			
2031	Lutron	Skylark	SLV-600P	600W	15% - 100%	Best performance		
		Skylark	S-10P	1000W		Not recommended		

<sup>\*</sup>Low end of this range is determined by output current which may not directly translate to the perceived light output

WAC Lighting fixtures are compatible with a variety of dimmers. For your convenience we have included a compatibility chart showing dimmers which have been tested with our products. The recommended list below is based upon testing conducted in a lab, and the results can vary in certain field applications due to a number of factors. Exclusion from the list does not imply incompatibility, just that it has not been tested by WAC Lighting. Please reference the dimmer manufacturer's instructions for installation, or contact a WAC lighting professional at 800-526-2588.